



# Crop Protection

## Index to Volume 13 (1994)

Number 1 (February) pp 1–80	Number 5 (August) pp 321–400
Number 2 (March) pp 81–160	Number 6 (September) pp 401–480
Number 3 (May) pp 161–240	Number 7 (November) pp 481–560
Number 4 (June) pp 241–320	Number 8 (December) pp 561–640

### Article index

#### Number 1 (February)

- Biological control of soil-borne diseases: some present problems and different approaches  
*R. Campbell* 4
- Filmcoating of cauliflower seed (*Brassica oleracea* L. var. *botrytis* L.) with insecticides to control the cabbage root fly (*Delia radicum*)  
*A. Ester, S. B. Hofstede, P. S. R. Koster and C. P. De Moel* 14
- Sources of resistance to *Tilletia indica* in wheat  
*G. Fuentes-Davila and S. Rajaram* 20
- Framework to support decisions on chemical pest control under uncertainty, applied to aphids and brown rust in winter wheat  
*W. A. H. Rossing, R. A. Daamen and E. M. T. Hendrix* 25
- Biological control of grape grey mould by *Trichoderma harzianum*  
*Y. Elad* 35
- Effects of repeated foliar sprays of insecticides or fungicides on organophosphate-resistant strains of the orchard predatory mite *Typhlodromus pyri* on apple  
*J. V. Cross and A. M. Berrie* 39
- Detergents and plant-derived oils for control of the sweetpotato whitefly on cotton  
*S. N. Puri, B. B. Bhosle, M. Ilyas, G. D. Butler, Jr and T. J. Henneberry* 45
- Conservation tillage crop yields in relation to grey garden slug [*Deroceras reticulatum* (Müller)] (Mollusca:

- Agriolimacidae) density during establishment  
*B. I. P. Barratt, R. A. Byers and D. L. Bierlein* 49
- Comparison of diflubenzuron and malathion as blanket sprays against sedentary populations of locusts and grasshoppers in Moroccan grassland  
*A. Bouaichi, G. D. A. Coppen and P. C. Jepson* 53
- Barrier spray treatment with diflubenzuron (ULV) against gregarious hopper bands of the Moroccan locust *Dociostaurus moroccanus* (Thunberg) (Orthoptera: Acrididae) in N.E. Morocco  
*A. Bouaichi, G. D. A. Coppen and P. C. Jepson* 60
- Insect suction sampling without nets, bags or filters  
*A. J. Arnold* 73

#### Number 2 (March)

- Alternate hosts of the potato tuber moth, *Phthorimaea operculella* (Zeller)  
*G. P. Das and K. V. Raman* 83
- Residues of tecnazene and its metabolites in potatoes in commercial stores  
*D. C. Buckley, A. R. C. Hill, V. L. Sivyier and J. P. G. Wilkins* 87
- Powdery mildew (*Erysiphe graminis*) on winter wheat: control with fungicides and the effects on yield  
*N. V. Hardwick, J. E. E. Jenkins, B. Collins and S. J. Groves* 93
- Qualitative approach for modelling outbreaks of grey mould

- epidemics in non-heated cucumber greenhouses  
*H. Yunis, D. Shtienberg, Y. Elad and Y. Mahrer* 99
- Control of *Phoma exigua* var. *linicola* on flax by seed and foliar spray treatments with fungicides  
*V. Decognet, V. Cerceau and B. Jouan* 105
- Effect of compost water extracts on grey mould (*Botrytis cinerea*)  
*Y. Elad and D. Shtienberg* 109
- Effects of soil solarization on arable weeds under Mediterranean conditions: control, lack of response or stimulation  
*K.-H. Linke* 115
- Spray deposits from aerial insecticide spray simulant applications to a coniferous plantation in low and high wind speeds  
*N. J. Payne* 121
- Development of field strategies incorporating semiochemicals for the control of the pea and bean weevil, *Sitona lineatus* L.  
*L. E. Smart, M. M. Blight, J. A. Pickett and B. J. Pye* 127
- Grain yield losses in maize (*Zea mays* L.) genotypes in relation to their resistance against *Chilo partellus* (Swinhoe) infestation at anthesis  
*H. Kumar and G. O. Asino* 136
- Laboratory assessment of the efficacy of phosphine and methyl bromide fumigation against all life stages of *Liposcelis entomophilus* (Enderlein)  
*V. Pike* 141



# Crop Protection

## Index to Volume 13 (1994)

Number 1 (February) pp 1–80	Number 5 (August) pp 321–400
Number 2 (March) pp 81–160	Number 6 (September) pp 401–480
Number 3 (May) pp 161–240	Number 7 (November) pp 481–560
Number 4 (June) pp 241–320	Number 8 (December) pp 561–640

### Article index

#### Number 1 (February)

- Biological control of soil-borne diseases: some present problems and different approaches  
*R. Campbell* 4
- Filmcoating of cauliflower seed (*Brassica oleracea* L. var. *botrytis* L.) with insecticides to control the cabbage root fly (*Delia radicum*)  
*A. Ester, S. B. Hofstede, P. S. R. Koster and C. P. De Moel* 14
- Sources of resistance to *Tilletia indica* in wheat  
*G. Fuentes-Davila and S. Rajaram* 20
- Framework to support decisions on chemical pest control under uncertainty, applied to aphids and brown rust in winter wheat  
*W. A. H. Rossing, R. A. Daamen and E. M. T. Hendrix* 25
- Biological control of grape grey mould by *Trichoderma harzianum*  
*Y. Elad* 35
- Effects of repeated foliar sprays of insecticides or fungicides on organophosphate-resistant strains of the orchard predatory mite *Typhlodromus pyri* on apple  
*J. V. Cross and A. M. Berrie* 39
- Detergents and plant-derived oils for control of the sweetpotato whitefly on cotton  
*S. N. Puri, B. B. Bhosle, M. Ilyas, G. D. Butler, Jr and T. J. Henneberry* 45
- Conservation tillage crop yields in relation to grey garden slug [*Deroceras reticulatum* (Müller)] (Mollusca:

- Agriolimacidae) density during establishment  
*B. I. P. Barratt, R. A. Byers and D. L. Bierlein* 49
- Comparison of diflubenzuron and malathion as blanket sprays against sedentary populations of locusts and grasshoppers in Moroccan grassland  
*A. Bouaichi, G. D. A. Coppen and P. C. Jepson* 53
- Barrier spray treatment with diflubenzuron (ULV) against gregarious hopper bands of the Moroccan locust *Dociostaurus moroccanus* (Thunberg) (Orthoptera: Acrididae) in N.E. Morocco  
*A. Bouaichi, G. D. A. Coppen and P. C. Jepson* 60
- Insect suction sampling without nets, bags or filters  
*A. J. Arnold* 73

#### Number 2 (March)

- Alternate hosts of the potato tuber moth, *Phthorimaea operculella* (Zeller)  
*G. P. Das and K. V. Raman* 83
- Residues of tecnazene and its metabolites in potatoes in commercial stores  
*D. C. Buckley, A. R. C. Hill, V. L. Sivyier and J. P. G. Wilkins* 87
- Powdery mildew (*Erysiphe graminis*) on winter wheat: control with fungicides and the effects on yield  
*N. V. Hardwick, J. E. E. Jenkins, B. Collins and S. J. Groves* 93
- Qualitative approach for modelling outbreaks of grey mould

- epidemics in non-heated cucumber greenhouses  
*H. Yunis, D. Shtienberg, Y. Elad and Y. Mahrer* 99
- Control of *Phoma exigua* var. *linicola* on flax by seed and foliar spray treatments with fungicides  
*V. Decognet, V. Cerceau and B. Jouan* 105
- Effect of compost water extracts on grey mould (*Botrytis cinerea*)  
*Y. Elad and D. Shtienberg* 109
- Effects of soil solarization on arable weeds under Mediterranean conditions: control, lack of response or stimulation  
*K.-H. Linke* 115
- Spray deposits from aerial insecticide spray simulant applications to a coniferous plantation in low and high wind speeds  
*N. J. Payne* 121
- Development of field strategies incorporating semiochemicals for the control of the pea and bean weevil, *Sitona lineatus* L.  
*L. E. Smart, M. M. Blight, J. A. Pickett and B. J. Pye* 127
- Grain yield losses in maize (*Zea mays* L.) genotypes in relation to their resistance against *Chilo partellus* (Swinhoe) infestation at anthesis  
*H. Kumar and G. O. Asino* 136
- Laboratory assessment of the efficacy of phosphine and methyl bromide fumigation against all life stages of *Liposcelis entomophilus* (Enderlein)  
*V. Pike* 141

- Rating index as a basis for decision making on pesticide use reduction and for accreditation of fruit produced under integrated pest management  
L. J. Penrose, W. G. Thwaite and C. C. Bower 146

- Technical efficiency of plant protection in Spanish greenhouses  
T. Canello and R. Cañero 153

### Number 3 (May)

- Effect of droplet size and carrier volume on performance of foliage-applied herbicides  
M. Knoche 163

- Experimental air-assisted electro-hydrodynamic spraying  
N. M. Western, E. C. Hislop and W. J. Dalton 179

- Influence of spray quality on crop tolerance and weed control with foliage-applied herbicides in combining peas  
P. K. Jensen and E. Kirknel 189

- Effect of drought and formulation on wild oat (*Avena fatua*) control with imazamethabenz and fenoxaprop  
H. S. Xie, W. A. Quick and A. I. Hsiao 195

- Pests and plant injury on lupins in the south of England  
A. W. Ferguson 201

- Use of environmental parameters and immunoassays to predict *Rhizoctonia* blight and schedule fungicide applications on creeping bentgrass  
G. L. Schumann, B. B. Clarke, L. V. Rowley and L. L. Burpee 211

- Use of activated charcoal and other particulate substances as feed additives to suppress bird feeding  
J. R. Mason and L. Clark 219

- Effects of droplet size on the topical toxicity of two pyrethroids to the cabbage looper *Trichoplusia ni* (Hübner)  
F. R. Hall and J. R. M. Thacker 225

- Guidelines for the prevention and control of herbicide-resistant black-grass (*Alopecurus myosuroides* Huds.)  
S. R. Moss and J. H. Clarke 230

- Incidence of cymbidium mosaic and odontoglossum ringspot viruses and their significance in orchid cultivation in Singapore

- S. M. Wong, C. G. Chng, Y. H. Lee, K. Tan and F. W. Zettler 235

### Number 4 (June)

- Weed management in conservation tillage systems for wheat production in North and South America  
J. R. Moyer, E. S. Roman, C. W. Lindwall and R. E. Blackshaw 243

- Relationships between the herbicidal activity and foliar uptake of surfactant-containing solutions of glyphosate applied to foliage of oats and field beans  
R. F. van Toor, A. L. Hayes, B. K. Cooke and P. J. Holloway 260

- Evaluation of the use of food baits for detecting wireworms (*Agriotes* spp., Coleoptera: Elateridae) in fields intended for arable crop production  
W. E. Parker 271

- Reduced pesticide programme for peach based on tree phenology  
H. W. Hogmire and A. R. Biggs 277

- British Crop Protection Council scheme for the classification of pesticide application equipment by hazard  
C. S. Parkin, A. J. Gilbert, E. S. E. Southcombe and C. J. Marshall 281

- Absorption, translocation and metabolism of fluchloralin in groundnut (*Arachis hypogaea*) and pigweed (*Amaranthus viridis*)  
M. Durgesha 286

- Effect of foliar fungicides on disease control, yield and test weight of soft red winter wheat  
E. A. Milus 291

- Use of ELISA and isolation for determining the distribution of *Rhizoctonia solani* and other *Rhizoctonia* spp. in asymptomatic creeping bentgrass  
G. Y. Yuen, K.-N. Kim and G. L. Horst 296

- Factors influencing the control of *Pythium ultimum*-induced seed decay by seed treatment with *Pseudomonas aureofaciens* AB254  
D. E. Mathre, N. W. Callan, R. H. Johnston, J. B. Miller and A. Schwend 301

- Host-plant resistance and chemical control of *Chilo partellus* (Swinhoe) and *Busseola fusca* (Fuller) in an integrated pest management system on grain sorghum

- J. van den Berg, G. D. J. van Rensburg and M. C. van der Westhuizen 308

- Body weight and social dominance in anticoagulant-resistant rats  
P. Smith, M. Berdoy and R. H. Smith 311

### Number 5 (August)

- Control of yellow rust (*Puccinia striiformis*) on winter wheat by ergosterol inhibitors at full and reduced dosages  
L. N. Jørgensen and B. J. Nielsen 323

- Economic comparison of Phytophthora root rot control methods  
I. R. Daniell and C. L. Falk 331

- Application rate trials with a nuclear polyhedrosis virus to control *Spodoptera littoralis* (Boisd.) on cotton in Egypt  
K. A. Jones, N. S. Irving, D. Grzywacz, G. M. Moawad, A. H. Hussein and A. Fargahly 337

- Comparison of imidacloprid with carbamate insecticides, and the role of planting depth in the control of false wireworms, *Somaticus species*, in maize  
T. W. Drinkwater 341

- Management of arthropods on columnar apple trees using exclusionary cages  
D. S. Lawson, W. H. Reissig, J. P. Nyrop and S. K. Brown 346

- Effect of methyl bromide on the control of *Fusarium oxysporum* f.sp. *dianthi* propagules in carnation greenhouse soil and on inoculum increase after one growth cycle of carnation  
Y. Ben-Yephet, M. Reuven, Y. Szmulewicz and Y. Mor 357

- Effects of late-season applications of propiconazole and tridemorph on disease, senescence, grain development and the breadmaking quality of winter wheat  
M. J. Gooding, S. P. Smith, W. P. Davies and P. S. Kettlewell 362

- Mixtures of wild oats (*Avena fatua*) and ryegrass (*Lolium rigidum*) in wheat: competition and optimal economic control  
D. J. Pannell and G. S. Gill 371

- Impact of temperature on the phytotoxicity of imazamethabenz and fenoxaprop to wild oat (*Avena fatua*)

- H. S. Xie, A. I. Hsiao and W. A. Quick 376
- Survey on the contribution of weed biology and herbicides to weed management in the UK  
S. R. Moss 381
- Allelopathic potential of some warm-season grasses  
L. D. Martin and A. E. Smith 388
- Effectiveness of odour repellents for protecting ornamental shrubs from browsing by white-tailed deer  
M. C. Milunas, A. F. Rhoads and J. R. Mason 393
- Number 6 (September)**
- Integrated insect pest management in oilseed rape crops in Europe  
K. A. Evans and D. H. Scarisbrick 403
- Database analysis of the toxicity of antilocus pesticides to non-target, beneficial invertebrates  
C. F. Murphy, P. C. Jepson and B. A. Croft 413
- Comparison of imidacloprid and furathiocarb seed dressing insecticides for the control of the black maize beetle, *Heteronychus arator* Fabricius (Coleoptera: Scarabaeidae), in maize  
T. W. Drinkwater and L. H. Groenewald 421
- Impact of milling degree on *Liposcelis paetus* population growth rate and assessment of milled rice weight loss due to infestation  
V. Pike 425
- Influence of grass seed rate, herbicide (bentazone), molluscicide (methiocarb) and insecticide (triazophos) on white clover (*Trifolium repens*) establishment, herbage yield and sward botanical composition  
C. Standell and R. O. Clements 429
- Trend surface analysis: a simple tool for modelling spatial patterns of weeds  
F. Dessaint and J.-P. Caussanel 433
- Influence of canopy structure on tall fescue cultivar susceptibility to brown patch disease  
G. Y. Yuen, L. J. Giesler and G. L. Horst 439
- Influence of cultivar and primed or germinated seed on stand establishment of watermelon in soil infested with *Pythium irregulare* or *Rhizoctonia solani* AG-4  
M. R. Hall and D. R. Sumner 443
- Postharvest hydrogen peroxide treatment inhibits decay in eggplant and sweet red pepper  
E. Fallik, Y. Aharoni, S. Grinberg, A. Copel and J. D. Klein 451
- Evaluation of *Pasteuria penetrans* alone and in combination with oxamyl, plant resistance and solarization for control of *Meloidogyne* spp. on vegetables grown in greenhouses in Crete  
E. A. Tzortzakakis and S. R. Gowen 455
- HOPPER – an expert system for forecasting the risk of white-backed planthopper attack in the first crop season in China  
J. Y. Tang, J. A. Cheng and G. A. Norton 463
- Response of voles to the concentration of crimidine in rodenticidal baits  
E. Tkadlec 474
- Number 7 (November)**
- Herbicide discovery and development: emphasis on groundwater protection  
R. J. Lamoreaux 483
- Management of *Sesamia grisescens* Walker (Lep.: Noctuidae), a sugar-cane borer in Papua New Guinea  
L. S. Kuniata and C. P. M. Sweet 488
- Mass rearing, larval behaviour and effects of plant age on the rice caseworm, *Nymphula depunctalis* (Guenée) (Lepidoptera: Pyralidae)  
J. A. Litsinger, J. P. Bandong and N. Chantarakapha 494
- Comparisons of control action thresholds for *Heliothis armigera*, *Bemisia tabaci* and *Aphis gossypii* on cotton in the Sudan Gezira and Rahad regions  
P. A. Stam, A. A. Abdelrahman and B. Munir 503
- Resistance of hybrid canola (*Brassica napus* L.) to flea beetle (*Phyllotreta* spp.) damage during early growth  
R. P. Bodnaryk, R. J. Lamb and K. A. Pivnick 513
- Effects of spice oil treatment of rice on moulding and mycotoxin contamination  
K. L. Patkar, C. M. Usha, H. S. Shetty, N. Paster and J. Lacey 519
- Interaction between imazamethabenz and fenoxaprop in wild oat control and crop tolerance  
S. H. Liu, A. I. Hsiao and W. A. Quick 525
- Evaluation of plastic and Mylar flagging as repellents for snow geese (*Chen caerulescens*)  
J. R. Mason and L. Clark 531
- Cage and flight pen evaluation of avian repellency and hazard associated with imidacloprid-treated rice seed  
M. L. Avery, D. G. Decker and D. L. Fischer 535
- CGA 219417: a novel broad-spectrum fungicide  
U. J. Heye, J. Speich, H. Siegle, A. Steinemann, B. Forster, G. Knauf-Beiter, J. Herzog and A. Hubele 541
- Pink disease (*Corticium salmonicolor* Berks & Broome) control in mandarin orange (*Citrus reticulata* Blanco) by application of Bordeaux mixture  
P. M. Pradhanang 550
- Effectiveness of several new selective herbicides in lentils (*Lens culinaris*)  
D. A. Wall and P. M. McMullan 553
- Number 8 (December)**
- Can wild species become problem weeds because of herbicide resistance? *Brachypodium distachyon*: a case study  
J. Gressel and Y. Kleifeld 563
- Incidents of poisoning of honeybees (*Apis mellifera*) by agricultural pesticides in Great Britain 1981–1991  
P. W. Greig-Smith, H. M. Thompson, A. R. Hardy, M. H. Bew, E. Findlay and J. H. Stevenson 567
- Responses of maize, sorghum and millet host plants to infestation by *Striga hermonthica*  
S. K. Kim, A. Y. Akintunde and P. Walker 582
- Biotechnology initiative to achieve plant pest and disease resistance  
K. V. Raman and D. W. Altman 591
- Improving spring and summer fungicide treatments for winter barley  
P. Gladders and M. J. Hims 597
- Effect of planting date on severity of frogeye leaf spot and grain yield of soybeans  
C. N. Akem and K. E. Dashiell 607
- Field study of the interaction between *Orobanche crenata* Forsk. and some new lines of

*Vicia faba* L. in Egypt  
 S. J. ter Borg, A. Willemsen,  
 S. A. Khalil, H. A. Saber,  
 J. A. C. Verkleij and A. H.  
 Pieterse 611  
 Fungicidal control of metalaxyl-  
 insensitive strains of *Bremia*

*lactucae* on lettuce  
 T. G. Wicks, B. Hall and P.  
 Pezzaniti 617  
 Inhibition of reproduction of  
*Acanthoscelides obtectus* Say  
 (Coleoptera), a kidney bean  
 (*Phaseolus vulgaris*) bruchid,

by aromatic essential oils  
 C. Regnault-Roger and A.  
 Hamraoui 624  
 Walnut blight: development of fruit  
 infection in two orchards  
 P. Radix, F. Seigle-Murandi and  
 G. Charlot 629

## Author index

- Abdelrahman, A. A. 503  
 Aharoni, Y. 451  
 Akem, C. N. 607  
 Akintunde, A. Y. 582  
 Altman, D. W. 591  
 Arnold, A. J. 73  
 Asino, G. O. 137  
 Avery, M. L. 535
- Bandong, J. P. 494  
 Barratt, B. I. P. 49  
 Ben-Yephet, Y. 357  
 Berdoy, M. 311  
 Berrie, A. M. 39  
 Bew, M. H. 567  
 Bhosle, B. B. 45  
 Bierlein, D. L. 49  
 Biggs, A. R. 277  
 Blackshaw, R. E. 243  
 Blight, M. M. 127  
 Bodnaryk, R. P. 513  
 Bouaichi, A. 53, 61  
 Bower, C. C. 147  
 Brown, S. K. 347  
 Buckley, D. C. 87  
 Burpee, L. L. 211  
 Butler, Jr, G. D. 45  
 Byers, R. A. 49
- Cabello, T. 153  
 Callan, N. W. 301  
 Campbell, R. 4  
 Canero, R. 153  
 Caussanel, J.-P. 433  
 Cerceau, V. 105  
 Chantaraprapha, N. 494  
 Charlot, G. 629  
 Cheng, J. A. 463  
 Chng, C. G. 235  
 Clark, L. 219, 531  
 Clarke, B. B. 211  
 Clarke, J. H. 230  
 Clements, R. O. 429  
 Collins, B. 93  
 Cooke, B. K. 261  
 Copel, A. 451  
 Coppen, G. D. A. 53, 61  
 Croft, B. A. 413  
 Cross, J. V. 39
- Daamen, R. A. 25  
 Dalton, W. J. 179  
 Daniell, I. R. 331  
 Das, G. P. 83  
 Dashiell, K. E. 607  
 Davies, W. P. 363  
 De Moel, C. P. 14  
 Decker, D. G. 535  
 Decognet, V. 105  
 Dessaint, F. 433
- Drinkwater, T. W. 341, 421  
 Durgesha, M. 287
- Elad, Y. 35, 99, 109  
 Ester, A. 14  
 Evans, K. A. 403
- Falk, C. L. 331  
 Fallik, E. 451  
 Fargahly, A. 337  
 Ferguson, A. W. 201  
 Findlay, E. 567  
 Fischer, D. L. 535  
 Forster, B. 541  
 Fuentes-Davila, G. 20
- Giesler, L. 439  
 Gilbert, A. J. 281  
 Gill, G. S. 371  
 Gladders, P. 597  
 Gooding, M. J. 363  
 Gowen, S. R. 455  
 Greig-Smith, P. W. 567  
 Gressel, J. 563  
 Grinberg, S. 451  
 Groenewald, L. H. 421  
 Groves, S. J. 93  
 Grzywacz, D. 337
- Hall, B. 617  
 Hall, F. R. 225  
 Hall, M. R. 443  
 Hamraoui, A. 624  
 Hardwick, N. V. 93  
 Hardy, A. R. 567  
 Hayes, A. L. 261  
 Hendrix, E. M. T. 25  
 Henneberry, T. J. 45  
 Herzog, J. 541  
 Heye, U. J. 541  
 Hill, A. R. C. 87  
 Hims, M. J. 597  
 Hislop, E. C. 179  
 Hofstede, S. B. 14  
 Hogmire, H. W. 277  
 Holloway, P. J. 261  
 Horst, G. 439  
 Horst, G. L. 297  
 Hsiao, A. I. 195, 377, 525  
 Hubele, A. 541  
 Hussein, A. H. 337
- Ilyas, M. 45  
 Irving, N. S. 337
- Jenkins, J. E. E. 93  
 Jensen, P. K. 189  
 Jepson, P. C. 53, 61, 413  
 Johnston, R. H. 301
- Jones, K. A. 337  
 Jørgensen, L. N. 323  
 Jouan, B. 105
- Kettlewell, P. S. 363  
 Khalil, S. A. 611  
 Kim, K.-N. 297  
 Kim, S. K. 582  
 Kirknel, E. 189  
 Kleifeld, Y. 563  
 Klein, J. D. 451  
 Knauf-Beiter, G. 541  
 Knoche, M. 163  
 Kusters, P. S. R. 14  
 Kumar, H. 137  
 Kuniata, L. S. 488
- Lacey, J. 519  
 Lamb, R. J. 513  
 Lamoreaux, R. J. 483  
 Lawson, D. S. 347  
 Lee, Y. H. 235  
 Lindwall, C. W. 243  
 Linke, K.-H. 115  
 Litsinger, J. A. 494  
 Liu, S. H. 525
- Mahrer, Y. 99  
 Marshall, C. J. 281  
 Martin, L. D. 389  
 Mason, J. R. 219, 393, 531  
 Mathre, D. E. 301  
 McMullan, P. M. 553  
 Miller, J. B. 301  
 Milunas, M. C. 393  
 Milus, E. A. 291  
 Moawad, G. M. 337  
 Mor, Y. 357  
 Moss, S. R. 230, 381  
 Moyer, J. R. 243  
 Munir, B. 503  
 Murphy, C. F. 413
- Nielsen, B. J. 323  
 Norton, G. A. 463  
 Nyrop, J. P. 347
- Pannell, D. J. 371  
 Parker, W. E. 271  
 Parkin, C. S. 281  
 Paster, N. 519  
 Patkar, K. L. 519  
 Payne, N. J. 121  
 Penrose, L. J. 147  
 Pezzaniti, P. 617  
 Pickett, J. A. 127  
 Pieterse, A. H. 611  
 Pike, V. 141, 425  
 Pivnick, K. A. 513

## Keyword index

- Pradhanang, P. M. 550  
Puri, S. N. 45  
Pye, B. J. 127
- Quick, W. A. 195, 377, 525
- Radix, P. 629  
Rajaram, S. 20  
Raman, K. V. 591  
Raman, K. V. 83  
Regnault-Roger, C. 624  
Reissig, W. H. 347  
Reuven, M. 357  
Rhoads, A. F. 393  
Roman, E. S. 243  
Rossing, W. A. H. 25  
Rowley, L. V. 211
- Saber, H. A. 611  
Scarlsbrick, D. H. 403  
Schumann, G. L. 211  
Schwend, A. 301  
Seigle-Murandi, F. 629  
Shetty, H. S. 519
- Shtienberg, D. 99, 109  
Siegle, H. 541  
Sivyer, V. L. 87  
Smart, L. E. 127  
Smith, A. E. 389  
Smith, P. 311  
Smith, R. H. 311  
Smith, S. P. 363  
Southcombe, E. S. E. 281  
Speich, J. 541  
Stam, P. A. 503  
Standell, C. 429  
Steinemann, A. 541  
Stevenson, J. H. 567  
Summer, D. R. 443  
Sweet, C. P. M. 488  
Szmulewicz, Y. 357
- Tan, K. 235  
Tang, J. Y. 463  
ter Borg, S. J. 611  
Thacker, J. R. M. 225  
Thompson, H. M. 567  
Thwaite, W. G. 147  
Tkadlec, E. 475
- Tzortzakakis, E. A. 455
- Usha, C. M. 519
- Van Rensburg, G. D. J. 309  
Van Toor, R. F. 261  
Van den Berg, J. 309  
Van der Westhuizen, M. C. 309  
Verkleij, J. A. C. 611
- Walker, P. 582  
Wall, D. A. 553  
Western, N. M. 179  
Wicks, T. G. 617  
Wilkins, J. P. G. 87  
Willemsen, A. 611  
Wong, S. M. 235
- Xie, H. S. 195, 377
- Yuen, G. Y. 297, 439  
Yunis, H. 99
- Zettler, F. W. 235
- ## Keyword index
- Acanthoscelides obtectus**  
Essential oils, *Phaseolus vulgaris* 624
- Activated charcoal**  
Bird, Repellent 219
- Acute rodenticides**  
Crimidine, Voles 475
- Aerial application**  
Forestry, Insecticide 121
- Agriotes**  
Wireworms, Baits 271
- Agrostis palustris**  
*Agrostis stolonifera*, Brown patch 221  
Brown patch, Detection 297
- Agrostis stolonifera**  
*Agrostis palustris*, Brown patch 211
- Air assistance**  
Electrostatics, Ground crops 179
- Allelopathy**  
Pasture weeds, Crop interference 389
- Alopecurus myosuroides**  
Black-grass, Herbicide resistance 230
- Amaranthus**  
Groundnut, Pigweed 287
- Antibiosis**  
Antixenosis, *Busseola fusca* 309
- Antixenosis**  
Antibiosis, *Busseola fusca* 309
- Application equipment**  
Pesticide, Hazard index 281
- Arborvitae**  
Big game repellent, Human scent 393
- Avena fatua**  
Wild oat, Drought 195
- Wild oat, Temperature 377
- Avena sativa**  
*Vicia faba*, Glyphosate 260
- Avian hazard**  
Bird repellent, Imidacloprid 535
- Bacterial count**  
*Xanthomonas campestris* pv. juglandis, Walnut blight 629
- Baits**  
*Agriotes*, Wireworms 271
- Barley**  
Fungicide, Timing 597
- Barrier spraying**  
*Doclostaurus maroccanus*, Locust 61
- Bemisia**  
Whitefly, Cotton 45
- Big Game Repellent**  
Arborvitae, Human scent 393
- Biocontrol**  
*Botrytis cinerea*, Fermented compost water extract 109  
*Pythium ultimum*, Sweet corn 301
- Biological control**  
Commercial inocula, Screening systems 4  
*Botrytis cinerea*, *Trichoderma harzianum* 35  
Protected cultivation, Mesh cages 347
- Bird**  
Activated charcoal, Repellent 219
- Bird repellent**  
Avian hazard, Imidacloprid 535
- Black-grass**  
*Alopecurus myosuroides*, Herbicide resistance 230
- Body weight**  
*Rattus norvegicus*, Social dominance 311
- Bordeaux mixture**  
Mandarin, *Corticium salmonicolor* 550
- Botrytis cinerea**  
Biological control, *Trichoderma harzianum* 35  
Epidemiology, Model 99  
Biocontrol, Fermented compost water extract 109
- Brachypodium distachyon**  
Transgenic crops, Herbicide resistance 563
- Brassica napus**  
*Phyllotreta*, Resistance 513
- Breadmaking quality**  
Wheat, Fungicide 363
- Broad-spectrum fungicide**  
CGA 219417, Cyprodinil 541
- Brown patch**  
*Agrostis palustris*, *Agrostis stolonifera* 211  
*Agrostis palustris*, Detection 297
- Busseola fusca**  
Antibiosis, Antixenosis 309
- CGA 219417**  
Cyprodinil, Broad-spectrum fungicide 541
- Canopy morphology**  
Rhizoctonia blight, Turfgrass 439
- Canopy penetration**  
Spray application, Efficacy 163

